

# SAFETY DATA SHEET

Issue Date 02-Jun-2015

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product name Hot Stuff Stripper

### Other means of identification

Product Code 619007  
Document 619007CG5

### Recommended use of the chemical and restrictions on use

Recommended use Floor Stripper

### Details of the supplier of the safety data sheet

#### Distributor

Chemical Specialties  
400 Medinah Road  
Roselle, IL 60172

#### Emergency telephone number

24 Hour Emergency Phone Number INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

Company Phone Number 800-556-6366

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 4

### Label elements

#### **Emergency Overview**

**Danger**

#### **Hazard Statements**

Harmful if swallowed  
Harmful if inhaled  
Causes severe skin burns and eye damage  
May cause respiratory irritation. May cause drowsiness or dizziness  
Combustible liquid



Appearance Transparent

Physical state Liquid

Odor Odorless

**Precautionary Statements - Prevention**

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Keep cool

**Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information**

- May be harmful in contact with skin

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight-%	Trade Secret
2-Butoxyethanol	111-76-2	10% - 30%	*
Ethanolamine	141-43-5	5% - 15%	*
Ethylene glycol monophenyl ether	122-99-6	1% - 5%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures for different exposure routes**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediately call a POISON CENTER or doctor/physician.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.
<b>Inhalation</b>	Remove to fresh air. If qualified give oxygen or artificial respiration as needed and/or seek medical help.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Give

large amounts of water. Get medical aid immediately.

**Protection of First-aiders** Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**Most important symptoms/effects, acute and delayed**

**Main Symptoms** The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Dry powder. Carbon dioxide (CO<sub>2</sub>). Foam.

**Unsuitable Extinguishing Media** This product contains alcohols which will reduce the effectiveness of normal foam. Use alcohol-resistant foam instead.

**Specific hazards arising from the chemical**

No information available.

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Take precautionary measures against static discharges. Remove all sources of ignition.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Do not smoke while using or until sprayed surface is thoroughly dry. Keep away from heat, sparks and open flame. No smoking.

**Conditions for safe storage, including any incompatibilities**

**Technical measures/Storage conditions** Keep away from open flames, hot surfaces and sources of ignition. Keep container in cool well-ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children.

**Incompatible products** Acids. Oxidizers

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

Review Section 3 &amp; 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation and that running water is available for washing eyes and skin  
**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Odorless
<b>Appearance</b>	Transparent	<b>Odor Threshold</b>	No information available
<b>Color</b>	Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	11.8	
Melting/freezing point	No information available	
Boiling point/boiling range	>100	
Flash Point	73 °C / 163.4 °F	
Evaporation rate	Similar to water	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	.995 ± .005	
Water solubility	Completely Soluble	
Solubility in other solvents	No information available	
Partition coefficient: n-octanol/water	No information available	

Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing Properties	No information available

**Other information**

Softening point	No information available
Molecular Weight	No information available
VOC Content(%)	< 45%
Density VALUE	No information available
Bulk Density VALUE	No information available

**10. STABILITY AND REACTIVITY****Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

None under normal processing.

**Conditions to Avoid**

Extremes of temperature and direct sunlight.

**Incompatible Materials**

Acids. Oxidizers

**Hazardous Decomposition Products**

On burning oxides of carbon.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

<b>Product Information</b>	Harmful if inhaled. Causes severe skin burns and eye damage. Product is harmful by inhalation Harmful if swallowed
<b>Inhalation</b>	Harmful by inhalation.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin contact</b>	Contact causes severe skin irritation and possible burns.
<b>Ingestion</b>	There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 99 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h
Ethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1000 mg/kg ( Rabbit ) = 1 mL/kg ( Rabbit )	-
Ethylene glycol monophenyl ether 122-99-6	= 1260 mg/kg ( Rat )	= 5 mL/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.  
**Mutagenic effects** No information available.  
**Carcinogenicity** No information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-

**Reproductive toxicity** No information available.

STOT - single exposure No information available.  
 STOT - repeated exposure No information available.  
 Aspiration hazard No information available.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 1655 mg/kg  
 ATEmix (dermal) 3031 mg/kg  
 ATEmix (inhalation-dust/mist) 4.3 mg/l  
 ATEmix (inhalation-vapor) 1822 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50
Ethanolamine 141-43-5	15: 72 h Desmodosmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50
Ethylene glycol monophenyl ether 122-99-6	500: 72 h Desmodosmus subspicatus mg/L EC50	220 - 460: 96 h Leuciscus idus mg/L LC50 static 366: 96 h Pimephales promelas mg/L LC50 static 337 - 352: 96 h Pimephales promelas mg/L LC50 flow-through	>500: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
Ethanolamine 141-43-5	-1.91
Ethylene glycol monophenyl ether 122-99-6	1.13

### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment

#### Waste Disposal Methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated packaging

Do not reuse container.

## 14. TRANSPORT INFORMATION

**DOT** Proper shipping name Not regulated  
Cleaning Compound, Liquid

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0
Ethylene glycol monophenyl ether - 122-99-6	1.0

#### SARA 311/312 Hazard Categories

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	no
<b>Fire Hazard</b>	Yes
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations



**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X
Ethanolamine 141-43-5	X	X	X
Ethylene glycol monophenyl ether 122-99-6	X	-	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

<b>16. OTHER INFORMATION</b>
------------------------------

<b>NFPA</b>	Health Hazards 2	Flammability 2	Instability 0	Physical and chemical hazards COR
<b>HMIS</b>	Health hazard 2	Flammability 2	Physical Hazards 0	Personal protection X

Prepared By

Issue Date 02-Jun-2015

Issue Note

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**