

# SAFETY DATA SHEET

## SECTION 1. IDENTIFICATION

**Product Name:** #5 WOOD CLEANER  
**Recommended Use:** Solvent emulsion cleaner  
**Supplier:** Jon Don Inc.  
400 Medinah Road  
Roselle, IL 60172  
**Phone:** 630-893-4747  
**Emergency Phone:** 800-535-5053

## SECTION 2. HAZARD IDENTIFICATION

### Classification

Aspiration hazard	Category 1
Eye irritation	Category 2B
Skin Irritation	Category 3
Flammable liquid	Category 3

### GHS Label Elements

**Signal word:** Danger

**Pictograms:**



### **Hazard statements:**

May be fatal if swallowed and enters airways.  
Causes eye irritation.  
Causes mild skin irritation.  
Flammable liquid and vapor.

### **Precautionary statements:**

#### **Prevention:**

Wash thoroughly after handling.  
Keep away from heat, sparks and open flames.  
No smoking.  
Keep container tightly closed.  
Ground container and receiving equipment.  
Use explosion-proof electrical, ventilating and lighting equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Wear protective gloves, eye and face protection.

#### **Response:**

IF SWALLOWED: Immediately call a POISON CENTER.  
Do NOT induce vomiting.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists; Get medical attention.  
IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water.

In case of fire: Use foam or water fog to extinguish.

**Storage:**

Store locked up.

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of container in accordance with local, state and federal regulations.

---

### **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

<b>Chemical Name</b>	<b>CAS No.</b>	<b>Weight %</b>
Medium aliphatic naphtha	64742-88-7	~25
Light aromatic naphtha	64741-95-6	~13
Hydrotreated light distillate	64742-47-8	~6
Polyurethane gym finish	mixture	~3
Tall Oil fatty acid	61790-12-3	~2.5
Oil-soluble surfactant	68155-20-4	~1

---

### **SECTION 4. FIRST AID MEASURES**

**First aid measure for different exposure routes**

**Eye contact:** Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

**Skin contact:** Rinse the contaminated area thoroughly with water.

**Ingestion:** Immediately call a poison control center. Do NOT induce vomiting.

**Inhalation:** Remove person to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, give artificial respiration.

**Most important symptoms/effects, acute or delayed**

Ingestion: May be fatal if swallowed and enters airways.

Eyes: Causes eye irritation.

Skin: Causes mild skin irritation.

---

### **SECTION 5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media:** Foam, water fog

**Unsuitable Extinguishing Media:** Water stream may be unsuitable.

**Special fire-fighting procedures:**

The use of self-contained breathing apparatus is recommended for fire-fighters.

Use water to cool fire-exposed containers

**Unusual fire and explosion hazards:**

Vapors are heavier than air and may travel along ground and be ignited by heat, pilot light or other sources of ignition distant from point of use. Never use welding or cutting torches near containers even if empty.

Rags or towels soaked with this product should be stored in a closed container.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions**

Wear protective gloves, eye and face protection. Spilled material is slippery; use care to avoid falling. Minimize breathing of vapors.

### **Environmental precautions**

Prevent spills from entering storm sewers and drains or contact with soil.

### **Methods for cleaning up**

Shut off and eliminate all ignition sources. Keep people away. Recover free product. Add sand, earth or other noncombustible absorbent material to spill area. Ventilate confined areas. Open all windows and doors.

---

## **SECTION 7. HANDLING AND STORAGE**

Avoid contact with eyes. Avoid prolonged or repeated skin contact. Keep product containers cool, dry and away from sources of ignition. Use and store this product with adequate ventilation. No smoking. Do not transfer product for storage into unmarked containers. Store only in the original container. Keep container tightly closed. Store locked up. Ground all containers and related equipment during pumping or transfer operations. Use only non-sparking tools. Take precautionary measures against static discharge. Store at temperatures between 55 and +100°F.

---

## **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Eye and face protection and impervious gloves should be worn. Wash thoroughly after handling. Eyewash stations and safety showers should be readily accessible.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance (physical state, color, etc.)	Viscous, opaque cream-colored liquid
Odor.	Petroleum
Odor threshold.	No data available
pH.	No data available
Melting point/freezing point.	No data available
Initial boiling point and boiling range.	No data available
Flash point.	>105°F
Evaporation rate.	No data available
Flammability (solid, gas).	No data available
Upper/lower flammability or explosive limits.	No data available
Vapor pressure.	No data available
Vapor density.	No data available
Relative density.	0.89
Solubility(ies).	Dispersible
Partition coefficient: n-octanol/water.	No data available
Auto-ignition temperature.	No data available
Decomposition temperature.	No data available
Viscosity	~250 cps

---

## **SECTION 10. STABILITY AND REACTIVITY**

### **Chemical stability**

Product is stable.

### **Conditions to avoid**

No data available.

### **Hazardous decomposition products**

Fumes, smoke, carbon monoxide in case of incomplete combustion.

### **Incompatible materials**

Avoid contact with oxidizers, such as bleach.

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Likely routes of exposure are eyes & skin.

<b>Eye contact</b>	Causes eye irritation.
<b>Skin contact</b>	Causes mild skin irritation.

### **Delayed and chronic effects from short and long term exposure**

No data available.

### **Carcinogens or suspected carcinogenic ingredients**

None

---

## **SECTION 12. ECOLOGICAL INFORMATION**

No data available.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Prevent product from entering storm sewers and drains or contact with soil.  
Contaminated absorbent may be deposited in sanitary landfill in accordance with local, state and federal regulations. Incinerate volatiles.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT Classification: Compounds, Cleaning Liquid, NOI

---

## **SECTION 15. REGULATORY INFORMATION**

### **TSCA**

All components are listed.

### **EPA SARA Title III Section 313**

This product contains the following listed chemical: 1,2 4-trimethylbenzene.

### **California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**

This product contains a material known to the state of California to cause cancer: diethanolamine.

COMPANY IDENTITY: Jon Don Inc.  
PRODUCT IDENTITY: #5 Wood Cleaner

SDS DATE: 06/28/2016  
REPLACES: 05/15/2015

---

## **SECTION 16. OTHER INFORMATION**

Prepared by Thomas Jones  
Conforms to GHS standard  
Rev. June 28, 2016

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.