

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations


Revision: January 19, 2019

## REFINE / MAXX

### 1 Identification

- **Product identifier**
- **Trade name:** REFINE MAXX SODIUM DENSIFIER
- **Product code:** ST-RMSOD
- **Recommended use and restriction on use**
- **Recommended use:** Concrete Densifier
- **Restrictions on use:** For professional use only.
- **Details of the supplier of the Safety Data Sheet**
- **Supplier:**  
JON-DON  
400 Medinah Road  
Roselle, Il. 60172.  
USA
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Eye Irrit. 2A H319 Causes serious eye irritation.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**  
  
  
 GHS07
- **Signal word:** Warning
- **Hazard statements:**  
H319 Causes serious eye irritation.
- **Precautionary statements:**

P264	Wash thoroughly after handling.
P280	Wear eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
- **Other hazards** There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures

(Cont'd. on page 2)





# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

**Trade name: REFINE-MAXX SODIUM DENSIFIER**

(Cont'd. of page 1)

· **Components:**

Component 1	Trade Secret	 Eye Dam. 1, H318  STOT SE 3, H335	Trade Secret
Component 2	Trade Secret	 Flam. Liq. 3, H226  Acute Tox. 4, H312; Eye Irrit. 2A, H319	Trade Secret

· **Additional information:** For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Irritating to eyes.

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Cramp

Coughing

· **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

## 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

The product is not flammable.

Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents:** None.

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

## 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

(Cont'd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

**Trade name: REFINE-MAXX SODIUM DENSIFIER**

(Cont'd. of page 2)

Use personal protective equipment as required.

Ensure adequate ventilation.

· **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Open and handle receptacle with care.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Keep out of reach of children.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Use only receptacles specifically permitted for this substance/product.

Unsuitable material for receptacle: aluminium.

Store in cool, dry conditions in well sealed receptacles.

Do not expose to temperatures exceeding 50°C/122°F.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Specific end use(s)** No relevant information available.

### 8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**Component 2**

EV (Canada)	Long-term value: 110 mg/m <sup>3</sup> , 25 ppm Skin
-------------	---

· **Exposure controls**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Avoid breathing mist, vapors, or spray.

(Cont'd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

**Trade name: REFINE-MAXX SODIUM DENSIFIER**

(Cont'd. of page 3)

Wash hands before breaks and at the end of work.

· **Engineering controls:** No relevant information available.

· **Breathing equipment:**

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

· **Protection of hands:**

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No relevant information available.

· **Risk management measures** No relevant information available.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

Form: Liquid

Color: Clear

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Alkaline

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** 100 °C (212 °F)

· **Flash point:** The product is not flammable.

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits**

Lower: Not determined.

Upper: Not determined.

· **Oxidizing properties:** Non-oxidizing.

· **Vapor pressure:** Not determined.

· **Density:**

Relative density: 1.0-1.2

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Trade name: REFINE-MAXX SODIUM DENSIER

(Cont'd. of page 4)

<b>Vapor density:</b>	Not determined.
<b>Evaporation rate:</b>	Not determined.

· <b>Solubility in / Miscibility with Water:</b>	Soluble.
--	----------

· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
---	-----------------

· <b>Viscosity</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.

· <b>Other information</b>	No relevant information available.
----------------------------	------------------------------------

## 10 Stability and reactivity

- **Reactivity:** The product is non-reactive under normal conditions of use, storage and transport.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Reacts with strong acids.
- **Conditions to avoid** Avoid acids.
- **Incompatible materials** Strong acids
- **Hazardous decomposition products** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eye:** Causes serious eye irritation.
- **Sensitization:** No sensitizing effects known.

· <b>IARC (International Agency for Research on Cancer):</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>NTP (National Toxicology Program):</b>
---

None of the ingredients are listed.
-------------------------------------

· <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b>
---

None of the ingredients are listed.
-------------------------------------

- **Probable route(s) of exposure:**

- Ingestion.
- Inhalation.
- Eye contact.
- Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

- **Carcinogenicity:** Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

**Trade name:** REFINE-MAXX SODIUM DENSIFIER

(Cont'd. of page 5)

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |  |                       |
|--|-----------------------|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>  | <p>Not regulated.</p> |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>                            | <p>Not regulated.</p> |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul> | <p>Not regulated.</p> |

(Cont'd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

**Trade name: REFINE-MAXX SODIUM DENSIFIER**

(Cont'd. of page 6)

- |  |                 |
|--|-----------------|
| <b>· Packing group</b>   |                 |
| <b>· DOT, ADR, IMDG, IATA</b>  | Not regulated.  |
| <b>· Environmental hazards</b>   |                 |
| <b>· Marine pollutant:</b>   | No              |
| <b>· Special precautions for user</b>  | Not applicable. |
| <b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

**· Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

**· Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**· Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**· TSCA (Toxic Substances Control Act)**

All ingredients are listed.

**· Proposition 65 (California)**

**· Chemicals known to cause cancer:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**· EPA (Environmental Protection Agency):**

None of the ingredients are listed.

**· IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

**· Canadian Domestic Substances List (DSL):**

All ingredients are listed.

(Cont'd. on page 8)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

**Trade name: REFINE-MAXX SODIUM DENSIFIER**

(Cont'd. of page 7)

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** JANUARY 19, 2019 / -

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))

Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)